

AMENDMENT TO THE CLAIMS

Claims 1-8 (canceled)

9. (currently amended) A multi display device comprising:

at least two panel housings with displays, the panel housings being foldable on each other, at least one side of the displays being disposed adjacent to each other when the panel housings are unfolded; and

a key input part insertable into a lower portion of the panel housings by a sliding motion  
whereby the key input part is positioned behind the displays and does not cover the displays.

10. (original) The multi display device of claim 9 wherein the sliding motion of the key input part synchronizes with a folding/unfolding operation of the panel housings.

11. (original) The multi display device of claim 9 further comprising a sub-display formed on an outer surface of the panel housing.

12. (original) The multi display device of claim 9 wherein the key input part slides out when the panel housings are unfolded from each other.

13. (original) The multi display device of claim 9 further comprising an expanding part separately coupled on the key input part.

14. (original) The multi display device of claim 9 wherein the panel housings are overlapped on each other or spread from each other by a relative sliding motion, and when the panel housings are spread, at least one side of the displays are disposed adjacent to each other.

15. (original) The multi display device of claim 9 wherein the panel housing are detachable coupled to each other, and when the panel housings are coupled to each other, at least one side of

the displays are disposed adjacent to each other.

16. (original) The multi display device of claim 9 further comprising a support for enhancing supporting force between the key input part and the panel housings when the key input part slides out of the panel housings.

17. (original) The multi display device of claim 16 wherein the support is designed slide between the panel housings and the key input part or designed in more than two steps so that they can be overlapped.

Claims 18-20 (canceled)

21. (currently amended) A multi display device comprising:

at least two panel housings with displays, the panel housings being foldable on each other, wherein a first display has a first edge and a second display has a second edge, at least one side of the displays being disposed adjacent to each other when the panel housings are unfolded;

a key input part; and

a connection joint portion formed on a sidewall of the panel housing to which the displays are adjacent ~~or an adjacent portion of a frame to which the displays adjacent~~ so as to dispose the displays to be adjacent to each other and the first display edge is in abutting contact with the second display edge, the connection joint portion positioned along a top display edge and a bottom display edge which are spaced apart by the first and second display edges.

22. (original) The multi display device of claim 21 wherein the connection joint portion is opened.

23. (original) The multi display device of claim 21 wherein a thickness of the connection joint portion is less than 0.5 mm.

24. (original) The multi display device of claim 21 wherein a sidewall of the panel housings where the displays are adjacent to each other is cut away to defining a cutting portion and the displays are mounted on the upper end of the cutting portion.

25. (original) The multi display device of claim 21 wherein after mounting the displays on the panel housings, a protecting cover is disposed to protect the connection joint portion of the panel housing and a front of a screen.

26. (original) The multi display device of claim 25 wherein the protecting cover has a side protecting part for protecting the connection joint portion of the panel housings and a front protecting part for protecting the front of the screen, the side protecting part being thinner than the front protecting part.

27. (original) The multi display device of claim 25 wherein a thickness of the side protecting part is less than 0.5 mm.

28. (new) The multi display device of claim 9 including:

a connection joint portion formed on a sidewall of the panel housing to which the displays are adjacent so as to dispose the displays to be adjacent to each other and a first display edge is in abutting contact with a second display edge, the connection joint portion positioned along a top display edge and a bottom display edge which are spaced apart by the first and second display edges.